

L Number	Hits	Search Text	DB	Time stamp
5	24		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 11:37
6	2187	(717/124 or 717/125 or 717/127 or 717/129 or 717/128 or 714/34 or 714/35).class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 11:36
7	296		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 11:36
8	40		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 11:56
9	174	(breakpoint\$1 or (break adj point\$1) or watchpoint\$1) near3 counter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 12:29
10	43	((breakpoint\$1 or (break adj point\$1) or watchpoint\$1) near3 counter ) and ((717/124 or 717/125 or 717/127 or 717/129 or 717/128 or 714/34 or 714/35).class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 12:35
19	232		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 13:49
20	148		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 14:01
21	123		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 13:52
22	18		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 13:53
23	2153	(breakpoint\$1 or (break adj1 point\$1)) with (counter\$1 or count\$3 or times or occur\$6 or encounter\$3 or hit\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 16:55
24	889	((breakpoint\$1 or (break adj1 point\$1)) with (counter\$1 or count\$3 or times or occur\$6 or encounter\$3 or hit\$1)) and debug\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 15:21
25	477	((breakpoint\$1 or (break adj1 point\$1)) with (counter\$1 or count\$3 or times or occur\$6 or encounter\$3 or hit\$1)) and debug\$4) and ((user\$1 or programmer\$1 or debugger\$1 or client\$1) with (breakpoint\$1 or (break adj point\$1) or watchpoint\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 13:59

26	433	(((((breakpoint\$1 or (break adj1 point\$1)) with (counter\$1 or count\$3 or times or occur\$6 or encounter\$3 or hit\$1)) and debug\$4) and ((user\$1 or programmer\$1 or debugger\$1 or client\$1) with (breakpoint\$1 or (break adj point\$1) or watchpoint\$1))) and ((user\$1 or programmer\$1 or debugger\$1 or client\$1) with (hit\$1 or occur\$6 or encounter\$3 or count\$3 or time\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 14:01
27	191	(((((breakpoint\$1 or (break adj1 point\$1)) with (counter\$1 or count\$3 or times or occur\$6 or encounter\$3 or hit\$1)) and debug\$4) and ((user\$1 or programmer\$1 or debugger\$1 or client\$1) with (breakpoint\$1 or (break adj point\$1) or watchpoint\$1))) and ((user\$1 or programmer\$1 or debugger\$1 or client\$1) with (hit\$1 or occur\$6 or encounter\$3 or count\$3 or time\$1))) and ((717/124 or 717/125 or 717/127 or 717/129 or 717/128 or 714/34 or 714/35).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 14:01
28	97	(((((breakpoint\$1 or (break adj1 point\$1)) with (counter\$1 or count\$3 or times or occur\$6 or encounter\$3 or hit\$1)) and debug\$4) and ((user\$1 or programmer\$1 or debugger\$1 or client\$1) with (breakpoint\$1 or (break adj point\$1) or watchpoint\$1))) and ((user\$1 or programmer\$1 or debugger\$1 or client\$1) with (hit\$1 or occur\$6 or encounter\$3 or count\$3 or time\$1))) and ((717/124 or 717/125 or 717/127 or 717/129 or 717/128 or 714/34 or 714/35).clss) and (updat\$3 or increment\$3 or track\$3) with (counter\$1 or count\$1 or number\$1 or time\$1 or occur\$6 or hit\$1 or encounter\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 16:55
29	85	user\$1 with (enabl\$3 or disabl\$3) with (breakpoint\$1 or (break adj point\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 14:30
30	26	(user\$1 with (enabl\$3 or disabl\$3) with (breakpoint\$1 or (break adj point\$1))) and ((717/124 or 717/125 or 717/127 or 717/129 or 717/128 or 714/34 or 714/35).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 14:30
31	20	user\$1 with disabl\$3 with (breakpoint\$1 or (break adj point\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 14:54
32	3	(breakpoint or (break adj point)) adj occurrences	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 18:17
33	339	(703/28).clss	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 14:54
34	191	((703/28).clss) and debug\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 14:55
35	84	((703/28).clss) and debug\$4) and (breakpoint\$1 or (break adj point\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 14:55

36	84	((((703/28).class) and debug\$4) and (breakpoint\$1 or (break adj point\$1))) and ((breakpoint\$1 or (break adj point\$1)) count\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 14:56
37	25	(((((703/28).class) and debug\$4) and (breakpoint\$1 or (break adj point\$1))) and ((breakpoint\$1 or (break adj point\$1)) count\$3)) and ((reset\$3 or reload\$3) with (count\$3 or breakpoint\$1 or (break adj point\$1)))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 15:19
38	121	internal near3 (breakpoint\$1 or (break adj point\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 15:22
39	1	(internal near3 (breakpoint\$1 or (break adj point\$1))) and ((reset\$3 with count\$3) near10 (breakpoint\$1 or (break adj point\$1)))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 15:22
40	17	(internal near3 (breakpoint\$1 or (break adj point\$1))) and (reset\$4 with count\$3)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 15:22
47	287	(breakpoint\$1 or (break adj point\$1)) with loop\$1	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 16:54
48	107	((breakpoint\$1 or (break adj point\$1)) with loop\$1) and ((breakpoint\$1 or (break adj1 point\$1)) with (counter\$1 or count\$3 or times or occur\$6 or encounter\$3 or hit\$1))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 16:55
49	61	((breakpoint\$1 or (break adj point\$1)) with loop\$1) and ((breakpoint\$1 or (break adj1 point\$1)) with (counter\$1 or count\$3 or times or occur\$6 or encounter\$3 or hit\$1)) and (updat\$3 or increment\$3 or track\$3) with (counter\$1 or count\$1 or number\$1 or time\$1 or occur\$6 or hit\$1 or encounter\$3)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 18:17
50	624	(breakpoint or (break adj point)) with (counter or times or hits or occurrences or encounters or passes or iterations)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 17:07
51	285	((breakpoint or (break adj point)) with (counter or times or hits or occurrences or encounters or passes or iterations)) and ((software or code or program\$1) with debug\$4)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 17:09
52	188	((breakpoint or (break adj point)) with (counter or times or hits or occurrences or encounters or passes or iterations)) and ((software or code or program\$1) with debug\$4) and (updat\$3 or increment\$3 or track\$3) with (counter\$1 or count\$1 or number\$1 or time\$1 or occur\$6 or hit\$1 or encounter\$3)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 17:09
53	68	((breakpoint or (break adj point)) with (counter or times or hits or occurrences or encounters or passes or iterations)) and ((software or code or program\$1) with debug\$4) and (updat\$3 or increment\$3 or track\$3) with (counter\$1 or count\$1 or number\$1 or time\$1 or occur\$6 or hit\$1 or encounter\$3) and ((717/124 or 717/125 or 717/127 or 717/129 or 717/128 or 714/34 or 714/35).class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 17:16

54	303	((disabl\$3 or skip\$4 or ignor\$3) with (breakpoint\$1 or (break adj point\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 17:17
55	84	((((breakpoint or (break adj point)) with (counter or times or hits or occurrences or encounters or passes or iterations)) and ((software or code or program\$1) with debug\$4)) and ((disabl\$3 or skip\$4 or ignor\$3) with (breakpoint\$1 or (break adj point\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 17:17
56	0	((breakpoint or (break adj point)) same ((for or while) adj1 loop\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 18:18
57	0	((breakpoint or (break adj point)) and ((for or while) adj1 loop\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 18:18
58	1186	((breakpoint or (break adj point)) with (line\$1 or statement\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 18:19
59	393	((breakpoint or (break adj point)) with (line\$1 or statement\$1)) and loop\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 18:20
60	0	((((breakpoint or (break adj point)) with (line\$1 or statement\$1)) and loop\$1) and ((for or while) with loop\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 18:20
61	161	((((breakpoint or (break adj point)) with (line\$1 or statement\$1)) and loop\$1) and debug\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 18:20
62	68	(((((breakpoint or (break adj point)) with (line\$1 or statement\$1)) and loop\$1) and debug\$4) and ((717/124 or 717/125 or 717/127 or 717/129 or 717/128 or 714/34 or 714/35).class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 18:41